

Respiratory Syncytial Virus (RSV)

Why in News?

Recently, in a study it was found that the lower respiratory infections caused by the **Respiratory Syncytial Virus (RSV)** are more frequent in children under the age of five.

According to a report published by the **Lancet**, it is responsible for the death of 1,00,000 children in the world during the year 2019.

What is the Respiratory Syncytial Virus (RSV)?


About:

- Respiratory Syncytial Virus is a common respiratory virus.
- It is characterized by its highly contagious nature i.e., it has a high potential to infect people.
- It exacerbated the seasonal lung infection.
- It commonly infects children especially under 2 to 6 years of age.
- In most of the cases it has symptoms like the common cold but in advanced stages it converts into phenumonia and bronchiolitis.

Key Findings:

- In the year 2019, over **45000** infant fatalities under the age of six were reported.
- One child out of every **five RSV infected children** died in the entire world.
- Children six months and younger are most vulnerable to this virus.
- According to the research, the annual incidence rate in India is 53 per 1,000 children (5.3%), with an estimated 61,86,500 cases of RSV associated with acute lower respiratory infection in children under the age of five.
 - RSV killed 97 percent of children under the age of five in low- and middle-income nations.

Respiratory Syncytial Virus



What is the Cure for Respiratory Syncytial Virus?

- There is no reliable cure available for RSV infection.
- Scientists, Government and concerning authority are promoting research and development in this domain to find out appropriate medicine and vaccination to save the life of infants and children.

Source: IE

PDF Reference URL: https://www.drishtiias.com/printpdf/respiratory-syncytial-virus-rsv