



## Sailfin Armoured Catfish

[Source: TH](#)

### Why in News?

Recently, scientists from [CSIR-Centre for Cellular and Molecular Biology \(CCMB\)](#) have discovered that the **invasive armoured sailfin catfish** has proliferated to 60% of the water bodies in the [Eastern Ghats](#), causing harm to **fishing nets** and disrupting the ecosystem.

//



### What are the Key Facts About Sailfin Catfish?

#### ▪ About:

- The **sailfin armoured catfish**, a collection of several morphologically similar species belonging to the genus ***Pterygoplichthys*** of the ***Loricariidae*** from South America, has been widely introduced to **tropical and subtropical freshwater** environments worldwide and has caused **serious ecological impacts**.
- It is one of the **most serious invasive species**.
  - In India, the fish species was originally introduced for its distinct appearance and its **capacity to remove algal growth** in tanks and aquariums, but its population has since **increased dramatically**.

#### ▪ Features:

- Sailfin catfish have **worm-like dark markings** on the head over a dark-golden background, stout pectoral fins with rough surfaces, and a disc-like, **protrusible mouth** used like a suction cup to attach and feed on algae.
- **Female fish are generally smaller, while those larger than 18 inches are likely to be male.**

▪ **Habitat**

- Sailfin catfish live in various slow-moving water bodies and are most commonly found near the shore and in shallow waters.
- They are known to create **spawning burrows** along shorelines, sometimes undermining canal banks and lake shorelines.

▪ **Age and Growth:**

- Grow to more than 20 inches and weigh 3.0 pounds.

## eDNA-Based Quantitative PCR Assay

- It is a unique technique developed by the **CSIR-Centre for Cellular and Molecular Biology (CCMB)** to map the presence and spread of invasive species.
  - **Invasive species** when introduced in a new ecosystem can grow rapidly and often lack predators which threatens the new ecosystem and livelihoods depending on it.
- eDNA is **environmental DNA** collected from water samples.
- This technique aids in **the early detection of invasive species**, which greatly contributes to ongoing efforts to manage invasive species and directly benefits the survival of native and economically important fish.
  - Early detection of invasive fish is **essential for preserving ecosystems**, minimising loss of fish catch, and supporting ecological balance.
- The eDNA approach is **reliable, accurate, cost-effective**, and suitable for large landscapes like **Eastern Ghats** water bodies. It can test about 20 waterbodies for invasive species presence in a single lab test.

## UPSC Civil Services Examination Previous Year Question (PYQ)

**Q. Recently, our scientists have discovered a new and distinct species of banana plant which attains a height of about 11 meters and has orange-coloured fruit pulp. In which part of India has it been discovered? (2016)**

- (a) Andaman Islands
- (b) Anaimalai Forests
- (c) Maikala Hills
- (d) Tropical rain forests of northeast

**Ans: (a)**

**Q. Consider the following kinds of organisms: (2021)**

1. Copepods
2. Cyanobacteria
3. Diatoms
4. Foraminifera

**Which of the above are primary producers in the food chains of oceans?**

- (a) 1 and 2
- (b) 2 and 3
- (c) 3 and 4

**(d)** 1 and 4

**Ans: (b)**

**Q. With reference to the evolution of living organisms, which one of the following sequences is correct? (2009)**

**(a)** Octopus - Dolphin - Shark

**(b)** Pangolin - Tortoise - Hawk

**(c)** Salamander - Python - Kangaroo

**(d)** Frog - Crab - Prawn

**Ans: (c)**

PDF Refernece URL: <https://www.drishtiias.com/printpdf/sailfin-armoured-catfish>

