

Severe Acute Malnutrition in India

Why in News

According to the **Women and Child Development Ministry, more than 9.2 lakh children** (from six months to six years) in India were **'severely acute malnourished'** till **November,** 2020.

• It underscores concerns that the <u>Covid-19 pandemic</u> could exacerbate the health and nutrition crisis among the poorest of the poor.

Key Points

- About Severe Acute Malnutrition (SAM) :
 - WHO's Definition: The World Health Organisation (WHO) defines 'severe acute malnutrition' (SAM) by very low weight-for-height or a mid-upper arm circumference less than 115 mm, or by the presence of nutritional oedema.
 - Children suffering from SAM are **nine times more likely to die** in case of diseases due to their weakened immune system.
 - Nutritional oedema: Abnormal fluid retention in the tissues (oedema) resulting especially from lack of protein in states of starvation or malnutrition.
 - Oedema can, however, occur in starvation even if the blood levels of albumin are not lowered.
- Related Findings:
 - Number of SAM Children (National scenario): An estimated 9,27,606 'severely acute malnourished' children from six months to six years were identified across the country till November 2020.
 - States with SAM Children:
 - The most in Uttar Pradesh (3,98,359) followed by Bihar (2,79,427).
 - Uttar Pradesh and Bihar are also home to the highest number of children in the country.
 - Maharashtra (70,665) > Gujarat (45,749) > Chhattisgarh (37,249) > Odisha (15,595) > Tamil Nadu (12,489) > Jharkhand (12,059) > Andhra Pradesh (11,201) > Telangana (9,045) > Assam (7,218) > Karnataka (6,899) > Kerala (6,188) > Rajasthan (5,732).
 - States with No Severely Malnourished Children: Ladakh, Lakshadweep, Nagaland, Manipur and Madhya Pradesh reported no severely malnourished children.
- National Family Health Survey Findings:
 - The **National Family Health Survey-4 (NFHS-4),** 2015-16 suggests that prevalence of severe acute malnutrition among children was at 7.4%.
 - NFHS-5 suggests that <u>malnutrition</u> increased among children in 2019-20 from 2015-16 in 22 states and UTs.

- Stunted: Around 13 states and UTs out of the 22 surveyed recorded a rise in percentage of children under five years who are stunted in comparison to 2015-16.
 - **Stunting** is when a child has a low height for their age, usually due to malnutrition, repeated infections, and/or poor social stimulation
- **Wasted:** 12 states and UTs recorded **a rise in the percentage** of children under five years who are wasted.
 - **Wasting** is low weight for their height among children, reflecting acute undernutrition. It is a strong predictor of mortality among children under five years of age.
- Severely wasted and underweight: 16 states and UTs recorded a rise in the percentage of children under five years who are severely wasted and underweight in 2019-20.

Impact of Covid-19:

- Covid-19 is pushing millions into poverty, reducing incomes of many more and disproportionately affecting the economically disadvantaged, who are also most vulnerable to malnutrition and food insecurities.
- The pandemic-prompted lockdowns disrupted essential services, such as supplementary feeding under Anganwadi centres, mid-day meals, immunisation, and micronutrient supplementation which exacerbated malnutrition.

Steps Taken by Government

- POSHAN Abhiyaan: The government of India has launched the National Nutrition Mission (NNM) or POSHAN Abhiyaan to ensure a "Malnutrition Free India" by 2022.
- Anemia Mukt Bharat Abhiyan: Launched in 2018, the mission aims at accelerating the annual rate of decline of anaemia from one to three percentage points.
- Mid-day Meal (MDM) scheme: It aims to improve nutritional levels among school children which also has a direct and positive impact on enrolment, retention and attendance in schools.
- The National Food Security Act (NFSA), 2013: It aims to ensure food and nutrition security for the most vulnerables through its associated schemes and programmes, making access to food a legal right.
- Pradhan Mantri Matru Vandana Yojana (PMMVY): Rs.6,000 is transferred directly to the bank accounts of pregnant women for availing better facilities for their delivery.
- Integrated Child Development Services (ICDS) Scheme: It was launched in 1975 and the scheme aims at providing food, preschool education, primary healthcare, immunization, health check-up and referral services to children under 6 years of age and their mothers.

Note: The **Sustainable Development Goal (SDG 2: Zero hunger)** aims to end all forms of hunger and malnutrition by 2030, making sure all people – especially children – have access to sufficient and nutritious food all year round.

Way Forward

- Home Based and Facility Based Care: Covid-19 could further exacerbate the situation with shrinking food diversity and low intake combined with episodes of missing food at times. The solutions have to be both home-based care and facility-based care.
- Build Linkages: The severe Acute Malnutrition has a direct connection with food availability, utilisation and awareness, the immediate task is to appropriately build linkages with the government systems to ensure families receive not just ration/food, but required education and support.
- Strengthen Nutrition Rehabilitation Centres (NRCs): The need to strengthen Nutrition

Rehabilitation Centres (NRCs) which are meant to treat SAM cases.

- There are studies that suggest that NRCs have not been very effective.
- In many cases, it has been seen that SAM cases have been discharged early because either
 the centre could not continue to keep the same case for a continued period, or the
 caregivers could not stay for a longer duration at the facility, or there was simply not
 enough supervision by the higher ups.
- **Designing Customised Menus:** There is the need for designing customised menus in consultation with experts for SAM cases and formulating guidelines.
- Segregation of SAM Cases: For administrative and operational convenience, as well as for better accountability, SAM cases could be segregated into smaller units.
 - The responsibility to manage/coordinate and monitor smaller units could be handed over to independent entities such as medical colleges, local NGOs, women's collectives – under the overall guidance of the District/Block health staff.
- Role of Anganwadi Centres: The identification of SAM children was done by over 10 lakh Anganwadi centres from across the country.
 - The anganwadis have to **become much more functional** and if the possibility of children reaching anganwadis is going to become hard because of lockdowns, then the anganwadis need to reach the children.

Source: TH

PDF Refernece URL: https://www.drishtiias.com/printpdf/severe-acute-malnutrition-in-india